Author Index

ABE, T., LAWSON, T., WEYERS, J. D. B. & CODD, G. A., Microcystin-LR inhibits photosynthesis of *Phaseolus vulgaris* primary leaves: implications for current spray irrigation practice, 651

ABNEY, G. D. (see NAGAHASHI, G.), 281

——, (see DOUDS JR, D. D.), 289

ABRAHAM, L. D. (see GHARIBIAN, S.), 673

AHONEN, J. (see WULFF, A.), 553

ALSTRÖM, S. (see OLSSON, S.), 245

ALVES, B. J. R. (see IBIJBIJEN, J.), 487

ANDERSON, J. B. (see GUILLAUMIN, J.-J.), 333

ANDERSSON, S., JENSÉN, P. & SÖDERSTRÖM, B., Effects of mycorrhizal colonization by *Paxillus involutus* on uptake of Ca and P by *Picea abies* and *Betula pendula* grown in unlimed and limed peat, 695

ARMSTRONG, J., ARMSTRONG, W. & VAN DER PUTTEN, W. H., *Phragmites* die-back: bud and root death, blockages within the aeration and vascular systems and the possible role of phytotoxins, 399

ARMSTRONG, W. (see ARMSTRONG, J.), 399

ASHENDEN, T. W. (see FOOT, J. P.), 503

ATKINSON, C. J. & TAYLOR, J. M., Effects of elevated CO_2 on stem growth, vessel area and hydraulic conductivity of oak and cherry seedlings, 617

AVIO, L. (see GIOVANNETTI, M.), 65

AZCÓN-AGUILAR, C. (see BAGO, B.), 273

BAGO, B., VIERHEILIG, H., PICHÉ, Y. & AZCÓN-AGUILAR, C., Nitrate depletion and pH changes induced by the extraradical mycelium of the arbuscular mycorrhizal fungus *Glomus intraradices* grown in monoxenic culture, 273

BAKER, A. J. M. (see REEVES, R. D.), 217

BARKER, E. R., PRESS, M. C., SCHOLES, J. D. & QUICK, W. P., Interactions between the parasitic angiosperm *Orobanche aegyptiaca* and its tomato host: growth and biomass allocation, 637

BASSIRIRAD, H., TISSUE, D. T., REYNOLDS, J. F. & CHAPIN, F. S., III, Response of *Eriophorum vaginatum* to CO_2 enrichment at different soil temperatures: effects on growth, root respiration and PO_4^{-3} uptake kinetics, 423

BEL, M. P. (see ROUMET, C.), 595

BERAZAÍN, R. (see REEVES, R. D.), 217

BERGMAN, B. (see RASMUSSEN, U.), 391

BERTHELAY, S. (see GUILLAUMIN, J.-J.), 333

BESFORD, R. T. (see HUFTON, C. A.), 495

BILLI, D. & GRILLI CAIOLA, M., Effects of nitrogen limitation and starvation on *Chroococcidiopsis* sp. (Chroococcales), 563

BISSELING, T. (see HEIDSTRA, R.), 25

BODDEY, R. M. (see IBIJBIJEN, J.), 487

BODDY, L. (see HUGHES, C. L.), 713

BONZI, L. M., PANCANI, M. A., PAOLETTI, C., GABBRIELLI, R., STORTI, E. & BUIATTI, M., Ultrastructure of the interaction between *Fusarium oxysporum* f. sp. *lycopersici* and cultured tomato mutant cells selected for altered response to the pathogen, 681

BORHIDI, A. (see REEVES, R. D.), 217

BREUIL, C. (see GHARIBIAN, S.), 673

BROOKS, G. L. (see PEARSON, M.), 605

BROOME, A. (see DODD, J. C.), 113, 541

BROWN, J. K. M., The choice of molecular marker methods for population genetic studies of plant pathogens, 183

BUIATTI, M. (see BONZI, L. M.), 681

BUTTLER, A. (see FELBER-GIRARD, M.), 531

CALDWELL, M. M. (see CUI, M.), 453, 461

CAPORN, S. J. M. (see FOOT, J. P.), 503

CHAMBERS, S. M. (see LLOYD-MACGILP, S. A.), 103

CHANDLER, D. (see UKNES, S.), 3

CHAPIN, F. S., III (see BASSIRIRAD, H.), 423

CHET, I. (see KAPULNIK, Y.), 59

CITERNESI, A. S. (see GIOVANNETTI, M.), 65

CLAPP, J. P. (see SANDERS, I. R.), 123

CLAY, K. (see MARKS, S.), 727

CODD, G. A. (see ABE, T.), 651

CONJEAUD, C., SCHEROMM, P. & MOUSAIN, D., Effects of phosphorus and ectomycorrhiza on maritime pine seedlings (*Pinus pinaster*), 345

CSINTALAN, Z. (see TUBA, Z.), 353

CUI, M. & CALDWELL, M. M., Facilitation of plant phosphate acquisition by arbuscular mycorrhizas from enriched soil patches. I. Roots and hyphae exploiting the same soil volume, 453

——, CALDWELL, M. M., Facilitation of plant phosphate acquisition by arbuscular mycorrhizas from enriched soil patches. II. Hyphae exploiting root-free soil, 461

DAHLBERG, A. (see GARDES, M.), 147

DAVID, R. (see KAPULNIK, Y.), 59

DEACON, J. W., Ecological implications of recognition events in the pre-infection stages of root pathogens, 135

DEN HERTOG, J. (see FONSECA, F.), 627

DICKINSON, H. G. (see ELLEMAN, C. J.), 197

DIXON, J. M., Waterlogging and survival in *Sesleria albicans*, 415

DODD, J. C. (see LLOYD-MACGILP, S. A.), 103

——, ROSENDAHL, S., GIOVANNETTI, M., BROOME, A., LANFRANCO, L., WALKER, C., Inter- and intraspecific variation within the morphologically-similar arbuscular mycorrhizal fungi *Glomus mosseae* and *Glomus coronatum*, 113

——, ROSENDAHL, S., GIOVANNETTI, M., BROOME, A., LANFRANCO, L., WALKER, C., Inter- and intraspecific variation within the morphologically-similar arbuscular mycorrhizal fungi *Glomus mosseae* and *Glomus coronatum*, 541

DONER, L. W. (see NAGAHASHI, G.), 281

DOUDS JR, D. D., NAGAHASHI, G. & ABNEY, G. D., The differential effects of cell wall-associated phenolics, cell walls, and cytosolic phenolics of host and non-host roots on the growth of two species of AM fungi, 289

DUMAS-GAUDOT, E. (see GIANINAZZI-PEARSON, V.), 45

ELAD, Y. (see KAPULNIK, Y.), 59

EL-KEBLAWY, A. & LOVETT-DOUST, J., Resource re-allocation following fruit removal in cucurbits: patterns in two varieties of squash, 583

ELLEMAN, C. J. & DICKINSON, H. G., Identification of pollen components regulating pollination-specific responses in the stigmatic papillae of *Brassica oleracea*, 197

ELTROP, L. & MARSCHNER, H., Growth and mineral nutrition of non-mycorrhizal and mycorrhizal Norway spruce (*Picea abies*) seedlings grown in semi-hydroponic sand culture. I. Growth and mineral nutrient uptake in plants supplied with different forms of nitrogen, 469

——, MARSCHNER, H., Growth and mineral nutrition of non-mycorrhizal and mycorrhizal Norway spruce (*Picea abies*) seedlings grown in semi-hydroponic sand culture. II. Carbon partitioning in plants supplied with ammonium or nitrate, 479

FARRAR, J. F. (see HIBBERD, J. M.), 659

FELBER, F. (see FELBER-GIRARD, M.), 531

FELBER-GIRARD, M., FELBER, F. & BUTTLER, A., Habitat differentiation in a narrow hybrid zone between diploid and tetraploid *Anthoxanthum alpinum*, 531

FIGUEIREDO-RIBEIRO, R. C. L. (see SHIOMI, N.), 643

FINLAY, R. D. (see JOHANSEN, A.), 705

FITTER, A., The First *New Phytologist* Symposium. Molecular approaches to the study of plant–microbe symbioses, 1

FITTER, A. H. (see LLOYD-MACGILP, S. A.), 103

FONSECA, F., DEN HERTOG, J. & STULEN, I., The response of *Plantago major* ssp. *pleiosperma* to elevated CO_2 is modulated by the formation of secondary shoots, 627

FOOT, J. P., CAPORN, S. J. M., LEE, J. A. & ASHENDEN, T. W., The effect of long-term ozone fumigation on the growth, physiology and frost sensitivity of *Calluna vulgaris*, 503

FOWBERT, J. A., An experimental study of growth in relation to morphology and shoot water content in maritime Antarctic mosses, 363

FRIEDRICH, L. (see UKNES, S.), 3

GABBRIELLI, R. (see BONZI, L. M.), 681
GALILI, S. (see KAPULNIK, Y.), 59
GANON, D. (see KAPULNIK, Y.), 59
GARDES, M. & DAHLBERG, A., Mycorrhizal diversity in arctic and alpine tundra: an open question, 147
GHAHARI, S. (see LEGRAND, P.), 321
——, (see GUILLAUMIN, J.-J.), 333
GHARIBIAN, S., HOFFERT, C., ABRAHAM, L. D. & BREUIL, C., Localizing an *Ophiostoma piceae* proteinase in sapwood of four tree species using polyclonal antibodies, 673
GIANINAZZI, S. (see GIANINAZZI-PEARSON, V.), 45
GIANINAZZI-PEARSON, V., DUMAS-GAUDOT, E., GOLLOTTE, A., TAHIRI-ALAOUI, A. & GIANINAZZI, S., Cellular and molecular defence-related root responses to invasion by arbuscular mycorrhizal fungi, 45
GILLIGAN, C. A. (see GROSE, M. J.), 261
GIOVANNETTI, M., SBRANA, C., CITERNESI, A. S. & AVIO, L., Analysis of factors involved in fungal recognition responses to host-derived signals by arbuscular mycorrhizal fungi, 65
——, (see DODD, J. C.), 113, 541
GODDARD, B. V. D. (see GROSE, M. J.), 261
GOLLOTTE, A. (see GIANINAZZI-PEARSON, V.), 45
GÖRLACH, J. (see UKNES, S.), 3
GRILLI CAIOLA, M. (see BILLI, D.), 563
GROSE, M. J., GILLIGAN, C. A., SPENCER, D. & GODDARD, B. V. D., Spatial heterogeneity of soil water around single roots : use of CT-scanning to predict fungal growth in the rhizosphere, 261
GUILLAUMIN, J.-J. (see LEGRAND, P.), 321
——, ANDERSON, J. B., LEGRAND, P., GHAHARI, S., BERTHELAY, S., A comparison of different methods for the identification of genets of *Armillaria* spp., 333
HAMMOND-KOSACK, K. E., JONES, D. A. & JONES, J. D. G., Ensnaring microbes: the components of plant disease resistance, 11
HAUKKA, K. E. (see YOUNG, J. P. W.), 87
HAY, J. M. (see LÖTSCHER, M.), 445
HEIDSTRA, R. & BISSELING, T., Nod factor-induced host responses and mechanisms of Nod factor perception, 25
HIBBERD, J. M., WHITBREAD, R. & FARRAR, J. F., Carbohydrate metabolism in source leaves of barley grown in 700 μmol mol^{-1} CO_2 and infected with powdery mildew, 659
HIRSCH, P. R., Population dynamics of indigenous and genetically modified rhizobia in the field, 159
HOFFERT, C. (see GHARIBIAN, S.), 673
HONEGGER, R., Experimental studies of growth and regenerative capacity in the foliose lichen *Xanthoria parietina*, 573
HUFTON, C. A., BESFORD, R. T. & WELLBURN, A. R., Effects of NO (+NO_2) pollution on growth, nitrate reductase activities and associated protein contents in glasshouse lettuce grown hydroponically in winter with CO_2 enrichment, 495
HUGHES, C. L. & BODDY, L., Sequential encounter of wood resources by mycelial cords of *Phanerochaete velutina*: effect on growth patterns and phosphorus allocation, 713
HUNT, M. (see UKNES, S.), 3
IBIJBIJEN, J., URQUIAGA, S., ISMAILI, M., ALVES, B. J. R. & BODDEY, R. M., Effect of arbuscular mycorrhizas on uptake of nitrogen by *Brachiaria arrecta* and *Sorghum vulgare* from soils labelled for several years with ^{15}N, 487
ISMAILI, M. (see IBIJBIJEN, J.), 487
ITZHAKI, H. (see KAPULNIK, Y.), 59
JAKOBSEN, I. (see LARSEN, J.), 295
JARDON, F. (see ROUMET, C.), 595
JENSÉN, P. (see ANDERSSON, S.), 695
JETTER, R., RIEDERER, M. & LENDZIAN, K. J., The effects of dry O_3, SO_2 and NO_2 on reconstituted epicuticular wax tubules, 207
JOHANSEN, A., FINLAY, R. D. & OLSSON, P. A., Nitrogen metabolism of external hyphae of the arbuscular mycorrhizal fungus *Glomus intraradices*, 705
JOHANSSON, C. (see RASMUSSEN, U.), 391
JONES, D. A. (see HAMMOND-KOSACK, K. E.), 11
JONES, J. D. G. (see HAMMOND-KOSACK, K. E.), 11
KAPULNIK, Y., VOLPIN, H., ITZHAKI, H., GANON, D., GALILI, S., DAVID, R., SHAUL, O., ELAD, Y., CHET, I. & OKON, Y., Suppression of defence responses in mycorrhizal alfalfa and tobacco roots, 59
KÄRENLAMPI, L. (see WULFF, A.), 553
KESSMANN, H. (see UKNES, S.), 3
KILLHAM, K. (see WHITE, D.), 173
LANAHAN, M. (see UKNES, S.), 3
LANFRANCO, L. (see DODD, J. C.), 113, 541
LARSEN, J. & JAKOBSEN, I., Effects of a mycophagous Collembola on the symbioses between *Trifolium subterraneum* and three arbuscular mycorrhizal fungi, 295
LAWSON, T. (see ABE, T.), 651
LAWTON, K. (see UKNES, S.), 3
LEE, J. A. (see FOOT, J. P.), 503
LEGRAND, P., GHAHARI, S. & GUILLAUMIN, J.-J., Occurrence of genets of *Armillaria* spp. in four mountain forests in Central France: the colonization strategy of *Armillaria ostoyae*, 321
——, (see GUILLAUMIN, J.-J.), 333
LEIFERT, C. (see WHITE, D.), 173
LENDZIAN, K. J. (see JETTER, R.), 207
LEWIS, J. D. & STRAIN, B. R., The role of mycorrhizas in the response of *Pinus taeda* seedlings to elevated CO_2, 431
LLOYD-MACGILP, S. A., CHAMBERS, S. M., DODD, J. C., FITTER, A. H., WALKER, C. & YOUNG, J. P. W., Diversity of the ribosomal internal transcribed spacers within and among isolates of *Glomus mosseae* and related mycorrhizal fungi, 103
LÖTSCHER, M. & HAY, J. M., Distribution of phosphorus and calcium from nodal roots of *Trifolium repens*: the relative importance of transport via xylem or phloem, 445
LOVETT-DOUST, J. (see EL-KEBLAWY, A.), 583
MARKS, S. & CLAY, K., Physiological responses of *Festuca arundinacea* to fungal endophyte infection, 727
MARSCHNER, H. (see ELTROP, L.), 469, 479
MARTIN, F. (see TAGU, D.), 73
MCKEE, J. & RICHARDS, A. J., Variation in seed production and germinability in common reed (*Phragmites australis*) in Britain and France with respect to climate, 233
MERRETT, M. J. (see NIMER, N. A.), 383
MORRIS, S. (see UKNES, S.), 3
MOUSAIN, D. (see CONJEAUD, C.), 345
NAGAHASHI, G., ABNEY, G. D. & DONER, L. W., A comparative study of phenolic acids associated with cell walls and cytoplasmic extracts of host and non-host roots for AM fungi, 281
——, (see DOUDS JR, D. D.), 289
NEGROTTO, D. (see UKNES, S.), 3
NEUENSCHWANDER, U. (see UKNES, S.), 3
NIMER, N. A. & MERRETT, M. J., The development of a CO_2-concentrating mechanism in *Emiliania huxleyi*, 383
OKON, Y. (see KAPULNIK, Y.), 59
OLSSON, P. A. (see JOHANSEN, A.), 705
OLSSON, S. & ALSTRÖM, S., Plant-affecting streptomycin-sensitive micro-organisms in barley monoculture soils, 245
ONODERA, S. (see SHIOMI, N.), 643
ORFANIDIS, S. (see TSEKOS, I.), 543
OROLOGAS, N. (see TSEKOS, I.), 543
PANCANI, M. A. (see BONZI, L. M.), 681
PAOLETTI, C. (see BONZI, L. M.), 681
PEARSON, M. & BROOKS, G. L., The effect of elevated CO_2 and grazing by *Gastrophysa viridula* on the physiology and regrowth of *Rumex obtusifolius*, 605
PÉREZ CORONA, M. E., VAN DER KLUNDERT, I. & VERHOEVEN, J. T. A., Availability of organic and inorganic phosphorus compounds as phosphorus sources for *Carex* species, 225
PETANIDOU, T. & SMETS, E., Does temperature stress induce nectar secretion in Mediterranean plants?, 513
PETERSSON, C. (see RASMUSSEN, U.), 391
PICHÉ, Y. (see BAGO, B.), 273
PRESS, M. C. (see BARKER, E. R.), 637
PROCTOR, M. C. F. (see TUBA, Z.), 353
QUICK, W. P. (see BARKER, E. R.), 637
RAMSDALE, M. & RAYNER, A. D. M., Imbalanced nuclear ratios, post-germination mortality and phenotype–genotype relationships in allopatrically-derived heterokaryons of *Heterobasidion annosum*, 303
RASMUSSEN, U., JOHANSSON, C., RENGLIN, A., PETERSSON, C. & BERGMAN, B., A molecular characterization of the *Gunnera–Nostoc* symbiosis: comparison with *Rhizobium*– and *Agrobacterium*–plant interactions, 391
RAYNER, A. D. M. (see RAMSDALE, M.), 303
REEVES, R. D., BAKER, A. J. M., BORHIDI, A. & BERAZAÍN, R., Nickel-accumulating plants from the ancient serpentine soils of Cuba, 217
REISS, H.-D. (see TSEKOS, I.), 543

RENGLIN, A. (see RASMUSSEN, U.), 391
REYNOLDS, J. F. (see BASSIRIRAD, H.), 423
RICHARDS, A. J. (see MCKEE, J.), 233
RIEDERER, M. (see JETTER, R.), 207
ROELOFS, J. G. M. (see SMOLDERS, A. J. P.), 253
ROSENDAHL, S. (see DODD, J. C.), 113, 541
ROUMET, C., BEL, M. P., SONIE, L., JARDON, F. & ROY, J., Growth response of grasses to elevated CO_2: a physiological plurispecific analysis, 595
ROY, J. (see ROUMET, C.), 595
RYALS, J. (see UKNES, S.), 3
RYDER, M. H. (see WHITE, D.), 173
SALMERON, J. (see UKNES, S.), 3
SANDERS, I. R., CLAPP, J. P. & WIEMKEN, A., The genetic diversity of arbuscular mycorrhizal fungi in natural ecosystems—a key to understanding the ecology and functioning of the mycorrhizal symbiosis, 123
SBRANA, C. (see GIOVANNETTI, M.), 65
SCHEROMM, P. (see CONJEAUD, C.), 345
SCHOLES, J. D. (see BARKER, E. R.), 637
SHAUL, O. (see KAPULNIK, Y.), 59
SHIOMI, N., ONODERA, S., VIEIRA, C. C. J. & FIGUEIREDO-RIBEIRO, R. C. L., Structure of fructan polymers from tuberous roots of *Gomphrena macrocephala* (Amaranthaceae) from the cerrado, 643
SIMON, L., Phylogeny of the Glomales: deciphering the past to understand the present, 95
SMETS, E. (see PETANIDOU, T.), 513
SMOLDERS, A. J. P. & ROELOFS, J. G. M., The roles of internal iron hydroxide precipitation, sulphide toxicity and oxidizing ability in the survival of *Stratiotes aloides* roots at different iron concentrations in sediment pore water, 253
SÖDERSTRÖM, B. (see ANDERSSON, S.), 695
SONIE, L. (see ROUMET, C.), 595
SPECKER, N. (see UKNES, S.), 3
SPENCER, D. (see GROSE, M. J.), 261
STARRETT, M. (see UKNES, S.), 3
STEINER, H.-Y. (see UKNES, S.), 3
STORTI, E. (see BONZI, L. M.), 681
STRAIN, B. R. (see LEWIS, J. D.), 431
STULEN, I. (see FONSECA, F.), 627
TAGU, D. & MARTIN, F., Molecular analysis of cell wall proteins expressed during the early steps of ectomycorrhiza development, 73
TAHIRI-ALAOUI, A. (see GIANINAZZI-PEARSON, V.), 45
TAYLOR, J. M. (see ATKINSON, C. J.), 617
TISSUE, D. T. (see BASSIRIRAD, H.), 423
TSEKOS, I., REISS, H.-D., ORFANIDIS, S. & OROLOGAS, N., Ultrastructure and supramolecular organization of photosynthetic membranes of some marine red algae, 543
TUBA, Z., CSINTALAN, Z. & PROCTOR, M. C. F., Photosynthetic responses of a moss, *Tortula ruralis*, spp. *ruralis*, and the lichens *Cladonia convoluta* and *C. furcata* to water deficit and short periods of desiccation, and their ecophysiological significnce: a baseline study at present-day CO_2 concentration, 353
UKNES, S., VERNOOIJ, B., MORRIS, S., CHANDLER, D., STEINER, H.-Y., SPECKER, N., HUNT, M., NEUENSCHWANDER, U., LAWTON, K., STARRETT, M., FRIEDRICH, L., WEYMANN, K., NEGROTTO, D., GÖRLACH, J., LANAHAN, M., SALMERON, J., WARD, E., KESSMANN, H. & RYALS, J., Reduction of risk for growers: methods for the development of disease-resistant crops, 3
URQUIAGA, S. (see IBIJBIJEN, J.), 487
VAN DER KLUNDERT, I. (see PÉREZ CORONA, M. E.), 225
VAN DER PUTTEN, W. H. (see ARMSTRONG, J.), 399
VERHOEVEN, J. T. A. (see PÉREZ CORONA, M. E.), 225
VERNOOIJ, B. (see UKNES, S.), 3
VIEIRA, C. C. J. (see SHIOMI, N.), 643
VIERHEILIG, H. (see BAGO, B.), 273
VOLPIN, H. (see KAPULNIK, Y.), 59
WALKER, C. (see LLOYD-MACGILP, S. A.), 103
——, (see DODD, J. C.), 113, 541
WARD, E. (see UKNES, S.), 3
WELLBURN, A. R. (see HUFTON, C. A.), 495
WEYERS, J. D. B. (see ABE, T.), 651
WEYMANN, K. (see UKNES, S.), 3
WHITBREAD, R. (see HIBBERD, J. M.), 659
WHITE, D., LEIFERT, C., RYDER, M. H. & KILLHAM, K., *Lux* gene technology – a strategy to optimize biological control of soil-borne diseases, 173
WIEMKEN, A. (see SANDERS, I. R.), 123
WOODIN, S. J. (see WOOLGROVE, C. E.), 519
WOOLGROVE, C. E. & WOODIN, S. J., Effects of pollutants in snowmelt on *Kiaeria starkei*, a characteristic species of late snowbed bryophyte dominated vegetation, 519
WULFF, A., AHONEN, J. & KÄRENLAMPI, L., Cell ultrastructural evidence of accelerated ageing of Norway spruce needles in industrial areas, 553
YOUNG, J. P. W. & HAUKKA, K. E., Diversity and phylogeny of rhizobia, 87
——, (see LLOYD-MACGILP, S. A.), 103

Subject Index

Acid deposition, 519
Acremonium coenophialum, 727
Aeration, 399
Ageing, 553
Agropyron desertorum, 453, 461
Air pollution, 207, 553
Allometry, 637
AM host and non-host roots, 281
Amaranthaceae, fructo-polysaccharides, 643
Antarctica, 363
Anthoxanthum alpinum, 531
Arabinogalactan protein, 391
Arbuscular fungi, 453, 461
Arbuscular mycorrhiza, 45, 65, 295, 705
Arbuscular mycorrhizal fungi, 59, 103, 113, 487
Armillaria spp., 321, 333
Bacteria–plant interactions, 159
Bacterial phylogeny, 87
Bacterial taxonomy, 87
Ballota acetabulosa, 513
Biological control, 173
Biomass, 431
Blue-green algae, 651
Brachiaria arrecta, 487
Brassica oleracea, 197
Bryophytes, 519
Buxaceae, 217
Calcium, 445
Calcium and phosphorus uptake, 695
Calluna vulgaris (L) Hull., 503
Callus, 399
Carbohydrate accumulation, 659
Carbon and nitrogen economy, 595
Carbon balance, 345
Carbon dioxide, 617
Cell wall apposition (papillae), 681
Cell-wall phenolics, 281
Cerrado, 643
Chemotaxis and chemotropism, 135
Chlorophyll fluorescence, 353
Chroococcidiopsis, 563
Climate, 233
Clonal plant, 445
Clones, 183
CO_2, 595
CO_2 exchange, 353
CO_2 uptake and concentrating mechanism, 383
Collembola, 295
Computer-assisted tomography, 261
Conifers, 207
Cucurbits, 583
Cytoplasmic phenolics, 281
Defence genes, 45
Defence response, 59
Desiccation tolerance, 353
Disease control, 3
Dispersal of symbiotic phenotype, 573
Diurnal rhythm, 495
Downstream responses, 11
Ecological strategies, 321
Ectomycorrhiza, 345, 431, 469, 479, 695
Editorial, 1
Elevated CO_2, 423, 431, 605, 627
ELISA assays, 495
Emiliania huxleyi, 383
Epicuticular wax, 207
Episodic selection, 303
Eriophorum vaginatum, 423
Erratum, 541
Erysiphe graminis f. sp. *hordei* (barley powdery mildew), 183
Erysiphe graminis (powdery mildew), 659
Euphorbiaceae, 217
External hyphae, 705
Extraradical mycelium, 273
Extreme environments, 147
Fatty acids, 705
Fine structure, 207
Floating fens, 225
Floral sex lability and ratio, 583
Foraging, 713
Freeze-fracture, 543
Frost injury, 503
Fructan synthesis, 659
Functional heterogeneity, 261
Fungal biomass, 479
Fungal endophytes, 727
Fusarium oxysporum, 681
Gene turnover, 123
Genetic fingerprinting, 183
Genets, 321, 333
Genomic conflict, 303
Gigaspora gigantea, 289
Gigaspora margarita, 289
Glomales, 95, 123
Glomus, 103
Glomus coronatum, 113
Glomus intraradices, 273
Glomus mosseae, 65, 113
GMO survival, 159
Gramineae, 135
Grasses, 595
Growth, 363, 469, 479, 503, 605, 637
Growth analysis, 595
Habitat segregation, 531
Herbivory, 605
Heterologous hybridization, 391
High-calcifying, 383
Holoparasite, 637
Hordeum distichum (barley), 659
Hordeum vulgare, 245
Host specificity and recognition, 135
Host-derived signals, 65
Hybrid zone, 531
Hydraulic conductance, 617
Hydrophobins, 73
Hyphal foraging, 461
Hyphal growth, 289
Hyphal length, 295
Hyphal P transport, 295
Immunocytochemistry, 673
Inducible defence responses, 45
Inorganic carbon accumulation, 383
Internal transcribed spacer (ITS), 103, 123
Iron plaque and toxicity, 253
Lactuca sativa, 495
Leaf and flower demography, 583
Levan, 643
Luciferase, 173
Lux gene technology, 173
Lycopersicon esculentum, 637, 681
Mannoproteins, 73
Maritime pine, 345
Maternal investment, 583
Mating-type alleles, 333
Mediterranean plants, 513
Metabolic activity, 173
Microbial population dynamics, 159
Microcystin-LR, 651
Microcystis, 651
Mineral nutrient uptake, 469

Mobilization, 225
Molecular analysis of fungal community structure, 147
Molecular drive, 123
Molecular ecology, 95
Molecular markers, 113, 183
Monoculture, 245
Monoxenic culture, 273
Morphological diversity, 113
Moss, 363
Mucilage, 391
Mycorrhiza, 289
Mycorrhizal ecology, 147
^{15}N, 705
N assimilation, 705
N limitation, 563
N starvation, 563
N uptake, 487
N-assimilation, 495
Nectar secretion, 513
Needle ultrastructure, 553
Nickel hyperaccumulators, 217
Nitrate & sulphate, 519
Nitrate depletion, 273
Nitrogen, 469
Nitrogen oxides, 495
^{15}N-labelled soils, 487
Nod factor, 25
Nodulation, 25
Nonacosan-10-ol, 207
Non-self recognition, 303
Nostoc, 391
Nuclear–cytoplasmic relationships, 303
Nutrient heterogeneity, 453, 461
Nutrient patch, 453
Orobanche aegyptiaca, 637
Oxidizing activity, 253
Oxygen exchange, 563
Ozone, 503
^{32}P, 295
Paramural bodies, 681
Pathogen resistance, 681
Pathogenic micro-organisms, 59
Paxillus involutus, 695
Performance and survival, 415
pH, 273, 695
Phaseolus vulgaris (French bean), 651
Phenolics, 289
Phenylpropanoid pathway, 59
Phloem, 445
Phosphorus, 345, 445
Photosynthate source-sink concept, 345
Photosynthesis, 651, 727
Photosynthesis and respiration, 605
Phragmites australis, 233
Phragmites die-back, 399
Phycobilisomes, 543
Phylogeny, 95
Phytotoxins, 399
Picea abies (Norway spruce), 553, 695
Pinus taeda (loblolly pine), 431
Pisolithus tinctorius, 431
Pisolithus/Eucalyptus ectomycorrhiza, 73
Plant disease resistance, 11
Plant–microbe interactions, 391
Plant mutants, 45
Plant-affecting and streptomycin-sensitive micro-organisms, 245
Plantago major spp. *pleiosperma*, 627
Poikilohydric habit, 353
Pollen coating, 197
Pollination, 197
Polyploidy, 531
Population genetics, 321
Population structure, 183
Positional control, 573
P-productivity, 225
Pre-infection events, 65
Proteinase, 673
Proteolytic activity, 673
Prunus (cherry), 617
Pseudomeristematic thallus margin, 573
P-uptake, 225
Quercus robur (oak), 617
Radial oxygen loss, 253
RAPD, 333
rDNA, 95
Receptor, 25
Recognition responses, 65
Red algae, 543
Regeneration of lobes, 573
Relative growth rate, 595
Relative water content, 353
Resistance genes, signal transduction, 11
Resource re-allocation, 583
RFLP, 333
RGR modulation, 627
Rhizobium, 25, 87
Rhizobium leguminosarum, 159
Rhizosphere, 261
Ribosomal genes, 123
Ribosomal RNA, 87
Root PO_4^{3-} uptake kinetics, 423
Root respiration, 423
Root-infecting zoosporic fungal pathogens, 135
Root-respiration, 479
rRNA, 103
Rumex obtusifolius, 605
18S, 95
Salicylic acid, 3, 11
Saprophytic growth, 261
Saprotrophic basidiomycetes, 713
Sap-staining fungi, 673
Scotland, 519
Seed germination, 233
Seed set, 233
Seed weight, 233
Semi-hydroponic sand culture, 469, 479
Serpentine soils, 217
Sesleria albicans, 415
Sheath, 673
Shoot water content, 363
Signal transduction, 3
Sink-source interaction, 627
Sinorhizobium meliloti, 159
Snow, 519
Soil fungi, 261
Soluble sugars, 627
Somatic incompatibility, 321
Sorghum vulgare, 487
Speciation, 303
Spore germination, 135
Stationary phase cells, 383
Stigmatic responses, 197
Stratiotes aloides L., 253
Sulphide, 399
Sulphide toxicity, 253
sym2, 25
Symbiosis-related polypeptides, 73
Systematic acquired resistance, 3
Tall fescue, 727
Temperature, 727
Temperature effect, 513
Thallus fragmentation, 573
Thylakoid membranes, 543
Thymus capitatus, 513
Transgenic plants, 45
Translocation, 713
Trifolium repens (white clover), 445
Ultramafic flora, 217
Ultrastructure, 543, 563
Underground storage organ, 643
Upland heath, 503
Vegetation analysis, 531
Waterlogging, 415
Wood structure and xylem anatomy, 617
Xylem, 445